

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	351	381/361,363,368.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/09 17:30
S1	37	381/368.ccls. and ((@ad @rlad)<="20010816")	US-PGPUB; USPAT	OR	OFF	2004/09/01 22:35
S2	318	381/361,366,368.ccls.	US-PGPUB; USPAT	OR	OFF	2004/08/24 11:25
S3	364	381/361,366,368.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/08/24 11:25
S4	235	381/361,366,368.ccls. and ((@ad @rlad)<="20010816")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 11:35
S5	12	"4811405".URPN.	USPAT	OR	OFF	2004/08/24 11:35
S6	17	("1680723"   "1774775"   "2755126"   "3370818"   "3452955"   "3521332"   "3907239"   "3928734"   "4040547"   "4126827"   "4146191"   "4146757"   "4151467"   "4215250"   "4367572"   "4466596"   "4577070").PN.	USPAT	OR	OFF	2004/08/24 11:36
S7	45	381/368.ccls.	USPAT	OR	OFF	2004/08/24 11:45
S8	102137	((shock near5 absorb\$5)(shockproof "shock proof") and (elastic strip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 11:49
S9	41860	((((shock near5 absorb\$5)(shockproof "shock proof") and (elastic strip))) and ((@ad @rlad)<="20010816"))	US-PGPUB; USPAT	OR	OFF	2004/08/24 11:49
S10	410	((((shock near5 absorb\$5)(shockproof "shock proof") and (elastic strip))) and ((@ad @rlad)<="20010816")) and microphone	US-PGPUB; USPAT	OR	ON	2004/08/24 11:48
S11	107	((((shock near5 absorb\$5)(shockproof "shock proof") and (elastic strip))) and ((@ad @rlad)<="20010816")) and (microphone same (holder support))	US-PGPUB; USPAT	OR	ON	2004/08/24 11:49

S12	101808	((shock near5 absorb\$5)(shockproof "shock proof") same (elastic strip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 11:49
S13	41622	((((shock near5 absorb\$5)(shockproof "shock proof") same (elastic strip))) and ((@ad @riad)<="20010816"))	US-PGPUB; USPAT	OR	OFF	2004/08/24 11:50
S14	105	((((shock near5 absorb\$5)(shockproof "shock proof") same (elastic strip))) and ((@ad @riad)<="20010816")) and (microphone same (holder support))	US-PGPUB; USPAT	OR	ON	2004/08/24 11:50
S15	9290	((((shock near5 absorb\$5)(shockproof "shock proof")) same (elastic strip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 11:50
S16	4199	((((shock near5 absorb\$5)(shockproof "shock proof")) same (elastic strip))) and ((@ad @riad)<="20010816"))	US-PGPUB; USPAT	OR	OFF	2004/08/24 11:50
S17	21	(((((shock near5 absorb\$5)(shockproof "shock proof")) same (elastic strip))) and ((@ad @riad)<="20010816")) and (microphone same (holder support))	US-PGPUB; USPAT	OR	ON	2004/09/01 14:43
S18	2855	hsieh.in.	US-PGPUB; USPAT	OR	ON	2004/08/24 11:56
S19	43	hsieh-"wu-hong".in.	US-PGPUB; USPAT	OR	ON	2004/08/24 11:57
S20	53	381/368.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/01 14:43
S21	53	381/368.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/01 14:43
S22	0	381/368.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/01 14:43
S23	1	(((((shock near5 absorb\$5)(shockproof "shock proof")) same (elastic strip))) and ((@ad @riad)<="20010816")) and (microphone same (holder support))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:43

S24	1	(((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and (microphone same (holder support))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:44
S25	0	(((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and (microphone same (holder support))	USOCR	OR	ON	2004/09/01 14:44
S26	3890	(((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and ((holder support))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:45
S27	45	(((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and ((holder support)) and microphone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:58
S28	10	"4991220".URPN.	USPAT	OR	OFF	2004/09/01 14:52
S29	107	(((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and ((holder support)) and transducer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 14:58
S30	95	(((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and ((holder support)) and transducer) not ((((((shock near5 absorb\$5)(shockproof "shock proof"))) same (elastic strip band))) and ((@ad @rlad)<="20010816")) and ((holder support)) and microphone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 15:29
S31	1	"906934".ap	US-PGPUB	OR	ON	2004/09/01 15:29
S32	2050	(shockproof "shock proof" (shock near3 absorb\$5)) same mount	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:24

S33	2846	(shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:19
S34	504	(shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)	EPO; JPO; IBM_TDB	OR	ON	2004/09/01 22:19
S35	98	((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)	EPO; JPO; IBM_TDB	OR	ON	2004/09/01 22:25
S36	0	((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)	US-PGPUB; USPAT	OR	ON	2004/09/01 22:23
S37	3181	(shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same mount	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:27
S38	4855	(shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same (mount holder)	US-PGPUB; USPAT	OR	ON	2004/09/01 22:25
S39	2	"1559" and (microphone transducer vibrat\$5)	EPO; JPO; IBM_TDB	OR	ON	2004/09/01 22:34
S40	44	"159" and (microphone transducer vibrat\$5)	EPO; JPO; IBM_TDB	OR	ON	2004/09/01 22:25
S41	153	"159" and (microphone transducer vibrat\$5)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:29
S42	153	("159" and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:26
S43	1630	( vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same ( holder mount)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:27
S44	1599	(( vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same ( holder mount)) and (microphone transducer vibrat\$5)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:28
S45	1559	((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same mount) and (microphone transducer vibrat\$5)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:29

S46	1497	((((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5)))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:29
S47	15	(((((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5)))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)))) and microphone	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:31
S48	729	(((((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5)))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)))) and (rubber elastic)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:31
S49	18	(((((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5)))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)))) and ((rubber elastic) same (band strip string))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:32
S50	28	(((((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5)))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5)) same (mount holder)) and (microphone transducer vibrat\$5)))) and ((rubber elastic) same (belt band strip string))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:48

S51	10	(((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5) same (mount holder)) and (microphone transducer vibrat\$5))) and ((rubber elastic) same (belt band strip string))) not (((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same mount) and (microphone transducer vibrat\$5)) not (((shockproof "shock proof" (shock near3 absorb\$5) same (mount holder)) and (microphone transducer vibrat\$5))) and ((rubber elastic) same (band strip string)))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/01 22:33
S52	2560	((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same (mount holder)) and (microphone transducer vibrat\$5)	US-PGPUB; USPAT	OR	ON	2004/09/01 22:34
S53	193	(((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same (mount holder)) and (microphone transducer vibrat\$5)) and ((rubber elastic) same (belt band strip string))	US-PGPUB; USPAT	OR	ON	2004/09/01 22:35
S54	168	(((shockproof "shock proof" (shock near3 absorb\$5) vibrationproof (vibrat\$4 near2 (proof absorb\$5))) same (mount holder)) and (microphone transducer vibrat\$5)) and ((rubber elastic) same (belt band strip string))) and ((@ad @rlad)<="20010816")	US-PGPUB; USPAT	OR	OFF	2004/09/01 22:48
S55	282	381/361,366.ccls.	US-PGPUB; USPAT	OR	OFF	2004/09/01 22:44
S56	46	381/361,366,368.ccls.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/01 22:44
S58	11	(381/361,366.ccls. and ((@ad @rlad)<="20010816")) and ((rubber elastic) same (belt band strip string))	US-PGPUB; USPAT	OR	ON	2004/09/01 22:49

S59	29	(381/361,366.ccls. and ((@ad @rlad)<="20010816")) and ((rubber elastic) and (belt band strip string))	US-PGPUB; USPAT	OR	ON	2004/09/01 22:51
S60	18	((381/361,366.ccls. and ((@ad @rlad)<="20010816")) and ((rubber elastic) and (belt band strip string))) not ((381/361,366.ccls. and ((@ad @rlad)<="20010816")) and ((rubber elastic) same (belt band strip string)))	US-PGPUB; USPAT	OR	ON	2004/09/01 22:50
S61	16	381/368.ccls. and ((rubber elastic) and (belt band strip string))	US-PGPUB; USPAT	OR	ON	2004/09/01 22:52
S62	1	"932057".ap.	US-PGPUB	OR	ON	2004/09/02 17:23
S63	0	"20030035561".URPN.	USPAT	OR	OFF	2004/09/02 16:02
S64	1	"4811405".pn.	USPAT	OR	ON	2004/09/02 19:00
S65	1	"4194096".pn.	USPAT	OR	ON	2004/09/02 20:05
S66	1	"4546950".pn.	USPAT	OR	ON	2004/09/02 20:06
S67	2	("4194096" "4546950").pn.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 21:38
S68	2	("4194096" "4546950").pn.	US-PGPUB; USPAT	OR	ON	2005/03/06 21:40
S69	53	381/368.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/06 21:50
S70	2	"915348".ap.	US-PGPUB	OR	ON	2005/03/06 21:50
S71	18	("2776462"   "3155780"   "3653625").PN. OR ("4194096"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/08 12:11
S72	167	381/361,366.ccls. and ((@ad @rlad)<="20010816"))	US-PGPUB; USPAT	OR	OFF	2005/03/08 12:17
S73	3	(shockproof "shock proof") same microphone	EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:18
S74	4	(shockproof "shock proof") and microphone	EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:19
S75	2490	(vibrat\$) same microphone	EPO; JPO; DERWENT	OR	OFF	2005/03/08 12:19
S76	1235	(vibrat\$) same microphone	EPO; JPO	OR	OFF	2005/03/08 12:19
S77	4	(vibrat\$) same microphone and absorb	EPO; JPO	OR	OFF	2005/03/08 12:19
S78	56	(vibrat\$) same microphone and absorb\$	EPO; JPO	OR	OFF	2005/03/08 12:19